

INDEX MAPS.

T. 14 N. R. 8 E. 2nd Mer.

	256		256		255		255		255		254	
258	6	278	5	274	4	270	3	266	2	262	1	252
	280		277		275		269		266		262	
258	7	277	8	273	9	269	10	265	11	261	12	252
	279		277		275		269		265		261	
257	18	276	17	272	16	268	15	264	14	260	13	253
	279		276		272		268		264		260	
257	19	275	20	272	21	268	22	264	23	260	24	253
	278		275		271		267		263		259	
257	30	275	29	271	28	267	27	263	26	259	25	254
	278		274		270		267		263		259	
256	31	274	32	270	33	266	34	262	35	258	36	254
	252		252		252		251		251		251	

T. 15 N. R. 8 E. 2nd Mer.

	286		286		286		285		285		285	
289	6	309	5	305	4	301	3	297	2	293	1	284
	311		309		305		301		297		293	
288	7	309	8	305	9	301	10	296	11	292	12	284
	311		308		304		300		296		292	
288	18	308	17	304	16	300	15	295	14	292	13	284
	310		307		303		299		295		291	
288	19	307	20	303	21	299	22	295	23	291	24	283
	310		307		303		299		294		290	
287	30	306	29	302	28	298	27	294	26	290	25	283
	310		306		302		298		294		290	
287	31	306	32	302	33	297	34	293	35	289	36	282
	282		282		281		281		281		281	

(P The figures on the lines refer to the page.

257

Township N. 14 North, Range N. 8 East 2. Mer.

South Boundary

Met On S. boundary of Sec. 36,

22.54 a Beech 13 in. dia.

40.00 Let q. Sec. post, from which
a Beech 13 in. dia. bear S 29 E 4 1/2 hrs. dist. &
a Do. 20 " " " N 15 W 28 " "

77.00 a Beech 12 " "

80.00 Let post Cor. to Sec. 35 & 36, from which
a Beech 22 in. dia. bear S 58 E 16 hrs. dist. &
a Do. 18 " " " N 2 E 24 " "

Over good farming land, timber Beech, Sugar
Ash &c. undug & price

Met On S. boundary of Sec. 35

6.31 a Poplar 18 in. dia.

40.00 Let q. Sec. post, from which
a Beech 20 in. dia. bear N 40 E 18 hrs. dist. &
a Do. 20 " " " N 67 W 27 " "

70.87 a Do 30 " "

77.60 a Brook 8 hrs. wide Course N.

80.00 Let post Cor. to Sec. 34 & 35, from which
a Buckeye 12 in. dia. bear South 6 hrs. dist. &
a Beech 13 " " " N 11 W 8 " "
Land timber &c. same as on the last mile

Met On S. boundary of Sec. 34

15.06 an Ash 20 in. dia.

40.00 Let q. Sec. post, from which
an Ironw. 8 in. dia. bear S 22 W 11 hrs. dist. &
a Poplar 22 " " " N 52 E 8 " "

55.00 a Beech 30 " "

62.10 a Creek 70 hrs. wide Course S. W

80.00 Let post Cor. to Sec. 33 & 34, from which
a Beech 24 in. dia. bear S 6 E 24 hrs. dist. &
a Do. 20 " " " S 58 W 37 " "
Land timber &c. same as on the last mile

T4S. R8E. 2^d Mer. Indianach. 1th

West On S. boundary of Sec. 33

4.76 at Brook 10th wide Course S.20.13 a Beech 16th in. dist.40.00 Set of Sec. post, from which
a Beech 16th in. dist. bear N 70 E 17th in. dist. of
a Do. 7 " " " N 27 W 2 " "44.50 a Brook 7th in. wide Course S.61.58 an Elm 27th in. dist.80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 13th in. dist. bear N 7 E 18th in. dist. of
a Do. 18 " " " S 38 E 33 " "
Sand timber &c. Same as on the last mile

West On S. boundary of Sec. 32

7.00 a Beech 22th in. dist.40.00 Set of Sec. post, from which
a Beech 15th in. dist. bear N 40 W 21th in. dist. of
a Do. 18 " " " N 51 E 16 " "

48.50 a Do. 14 " " "

80.00 Set post Cor. to Sec. 31 & 32, from which
an Ash 22th in. dist. bear N 75 E 47th in. dist. of
a Do. 36 " " " S 70 W 23 " "
Sand timber &c. Same as on the last mile

West On S. boundary of Sec. 31

14.15 a Beech 15th in. dist.40.00 Set of Sec. post, from which
a Beech 18th in. dist. bear North 3th in. dist. of
a Do. 18 " " " N 89 W 15 " "66.72 intersected at the Corner of Township 13 &
14 North, Range 7 & 8 East

Sand timber &c. Same as on the last mile

July 25th 1819

East Boundary on. 7.06 E

South On E. boundary of Sec. 1, T4S. R8E

253

T4 N 8 E 2nd Mer. Indiana

ch. lth

19.05 an Ash 40 mi. dist.

33.00 a Creek 20 lth, wide Corns S.W.

40.00 let of Sec. post, from which

a Beech 13 mi. dist. by N 36 W 23 lth, dist. of

a Do. 9 " " " S 56 E 17 " "

47.24 a Oak 36 " "

80.00 let post Cor to Sec. 1 & 12, from which

a Beech 8 mi. dist. by N 29 W 10 lth, dist. of

a Sugar 12 " " " S 3 E 28 " "

Over level land, timber Oak, Beech &c.

South On E. boundary of Sec. 12

22.53 a Poplar 24 mi. dist.

40.00 let of Sec. post, from which

a Beech 8 mi. dist. by N 8 E 25 lth, dist. of

a Do. 12 " " " S 59 E 26 " "

54.52 a Hickory 18 " "

80.00 let post Cor to Sec. 12 & 13, from which

a Beech 10 mi. dist. by N 43 E 18 lth, dist. of

a Do 8 " " " S 29 E 11 " "

Land timber &c. Same as on the last mile

South On E. boundary of Sec. 13

26.20 an Oak 36 mi. dist.

40.00 let of Sec. post, from which

a Cherry 7 mi. dist. by N 37 E 17 lth, dist. of

a Hickory 6 " " " S 18 W 25 " "

67.53 an Oak 30 " "

80.00 let post Cor to Sec. 13 & 24 from which

a Maple 12 mi. dist. by N 63 E 8 lth, dist. of

a Do. 18 " " " S 57 W 25 " "

Over level wet land, timber Oak &c.

South On E. boundary of Sec. 24

24.99 an Elm 15 mi. dist.

40.00 let of Sec. post from which

354

St. R. E. 2^d. Mer. Indiana
ch. l. h.

an Oak 24 mi. dist. bray N 26 E 9 l. h. dist. of
an Ash 7 " " " S 28 W 9 " "
60.20 a Beech 14 " "
80.00 Set post Cor. to Sec. 24 & 25, from which
an Elm 12 mi. dist. bray S 78 W 4 l. h. dist. of
a do. 16 " " " S 26 E " "
Land timber &c. same as on the last mile

South On E. boundary of Sec. 25

8.50 an Elm 26 mi. dist.
20.00 a Creek 70 l. h. wide Course S. W
40.00 Set q. Sec. post, from which
an Ash 10 mi. dist. bray S 34 E 16 l. h. dist. of
an Elm 10 " " " N 1 E 7 " "
54.09 a Beech 15 " "
80.00 Set post Cor. to Sec. 25 & 36, from which
a Beech 18 mi. dist. bray S 77 W 4 l. h. dist. of
a do. 8 " " " S 23 W 22 " "
Over good farming land, timber Beech, Sug.
&c. undry^d. Spruce

South On E. boundary of Sec. 36

10.40 a Bur Oak 45 mi. dist.
40.00 Set q. Sec. post, from which
an Ash 10 mi. dist. bray S 47 E 8 l. h. dist. of
a do. 5 " " " N 47 W 8 " "
(Note. There are no notes of the S. half of
this mile. S. M.)
Land timber &c. same as on the last mile
June 22nd 1819

North Boundary var 7° 15' E

West On S. boundary of Sec. 36, S. 15 N. 28 E

19.48 an Ash 18 mi. dist.
40.00 Set q. Sec. post, from which
an Ash 9 mi. dist. bray S 65 E 12 l. h. dist. of

St. R & E. 2^d. Mer. Indiana 255
ch. 1st 1st

a Beech 6 in. dia. bray N 49° W 21 in. dia. of
62.00 a Poplar 28 " " " " " " " "
80.00 1st post Cor. to Sec. 35, 36, 15 N. R & E, from which
an Ash 14 in. dia. bray S 56° E 40 in. dia. of
a Beech 16 " " " " N 48° W 18 " " "
Over good farming land, Beech, ash &c.
under 1st Spruce

West On S. boundary of Sec. 35, 15 N. R & E
28.45 an Elm 24 in. dia.

40.00 1st q. Sec. post, from which
a Beech 12 in. dia. bray S 74° E 38 in. dia. of
a do. 18 " " " " N 38° W 8 " " "

67.10 a Poplar 36 " " " " " " " "

80.00 1st post Cor. to Sec. 34, 35, 15 N. R & E, from which
a Beech 13 in. dia. bray N 50° E 12 in. dia. of
a do. 22 " " " " S 74° W 33 " " "
Land timber &c. Same as on the last mile

West On S. boundary of Sec. 34, 15 N. R & E
20.00 a Beech 12 in. dia.

40.00 1st q. Sec. post, from which
a Sugar 18 in. dia. bray N 69° E 30 in. dia. of
a Hornbeam 5 " " " " S 87° W 18 " " "

61.65 a Sugar 22 " " " " " " " "

80.00 1st post Cor. to Sec. 33, 34, 15 N. R & E, from which
a Beech 20 in. dia. bray S 11° E 4 in. dia. of
a do. 20 " " " " N 49° E 43 " " "
Land timber &c. Same as on the last mile

West On S. boundary of Sec. 33, 15 N. R & E.
25.35 an Ash 18 in. dia.

40.00 1st q. Sec. post, from which
a Beech 13 in. dia. bray S 81° E 20 in. dia. of
a Hickory 10 " " " " S 79° E 18 " " "

52.40 an Ash 36 " " " " " " " "

14th R8E. 2nd Mer. Indiana

80.00 Set post Cor. to Sec. 32 of 33, 1/5 N, R8E, from which
 a Sugar 10 mi. dist. bear S85 E 26 km. dist. of
 a Do. 12 " " " S73 W 27 "
 Over land of timber, same as on the last mile

Met On S. boundary of Sec. 32, 1/5 N, R8E.
 19.50 a Sugar 18 mi. dist.

40.00 Set of Sec. post from which
 a ——— 6 mi. dist. bear N19 E 20 km. dist. of
 a Do. 10 " " " S5 W 8 " "

54.40 a Spruce Oak 40 mi. dist.

80.00 Set post Cor. to Sec. 31 of 32, 1/5 N, R8E, from which
 a Beech 10 mi. dist. bear S77 E 3 km. dist. of
 a Do. 12 " " " N45 W 3 "
 Land timber &c. same as on the last mile

Met On S. boundary of Sec. 31, 1/5 N, R8E.
 6.00 an Ash 36 mi. dist.

40.00 Set of Sec. post, from which
 a Beech 14 mi. dist. bear S78 E 30 km. dist. of
 a Hickory 13 " " " S71 W 38 "

69.61 Intersected the Range line, at the Town
 Corner. Land &c. same as on last mile

Met Boundary. var. 7.15' E.
 North On E. boundary of Sec. 36, 1/4 N, R7E.

5.80 a Beech 12 mi. dist.

40.00 Set of Sec. post, from which
 an Ash 9 mi. dist. bear S5 W 22 km. dist. of
 an Oak 12 " " " S52 W 15 " "

53.60 a Beech 14 " "

80.00 Set post Cor. to Sec. 25 of 36, 1/4 N, R7E, from which
 a Buckeye 12 mi. dist. bear S62 E 20 km. dist. of
 an Elm 14 " " " N62 W 25 " "
 Over level wet land, timber Beech, Spruce &c.

T4 St R8 E. 2^d Mer. Indiana 257

ch P. lth.

North On E. boundary of Sec. 25, T4 St, R7 E.

12.40 a Beech 14 in. dia.

23.50 a Creek 20 lth. wide course S.W.

40.00 Set of Sec. post, from which

a Beech - in. dia. bear N10 E 15 lth. dist. of

a do. 10 " " " N37 W 33 " "

69.90 a do. 18 " " "

80.00 Set post Cor. to Sec. 24 & 25, T4 St, R7 E, from which

a Beech 14 in. dia. bear N23 E 26 lth. dist. of

a Poplar 16 " " " N23 W 20 " "

Over good farming land, timber Beech, Sugar
Poplar &c. underg. to Spruce.

North On E. boundary of Sec. 24, T4 St, R7 E.

18.62 an Ash 18 in. dia.

40.00 Set of Sec. post, from which

a Poplar 10 in. dia. bear N72 E 23 lth. dist. of

a Hickory 13 " " " N26 W 22 " "

45.70 a Creek 20 lth. wide course S.W.

68.03 a Hickory 18 in. dia.

80.00 Set post Cor. to Sec. 13 & 24, T4 St, R7 E, from which

an Ash 14 in. dia. bear N80 E 5 lth. dist. of

a Beech 12 " " " N62 W 18 " "

Sand timber &c. same as on the last mile

North On E. boundary of Sec. 13, T4 St, R7 E

15.45 a Beech 14 in. dia.

40.00 Set of Sec. post, from which

a Beech 18 in. dia. bear N53 E 31 lth. dist. of

a do. 13 " " " N40 W 20 " "

68.64 a Sugar 14 " " "

80.00 Set post Cor. to Sec. 12 & 13, T4 St, R7 E, from which

a Beech 10 in. dia. bear N54 E 25 lth. dist. of

a do. 9 " " " N62 W 19 " "

Sand timber &c. same as on the last mile

T4 N R8 E, 2^d Mer. Indiana

ch. 1/2 m.
 North On E. boundary of Sec. 12, T4 N R7 E
 14.50 at Brook 15 m. wide Course W.
 22.15 an Ash 30 m. dia.
 40.00 Set q. Sec. post, from which
 an Ash 16 m. dia. bray S 59 W 22 m. dist. of
 a Hickory 16 " " " N 28 E 12 " "
 61.26 an Ash 18 " "
 77.10 a Brook 4 m. wide C. S. W.
 80.00 Set post Cor. to Sec. 11 & 12, T4 N R7 E, from which
 a Beech 13 m. dia. bray S 54 W 8 m. dist. of
 a W. Oak 30 " " " N 5 E 35 " "
 Over land timber &c. same as on the last mile

North On E. boundary of Sec. 1, T4 N R7 E.
 38.80 a Beech 18 m. dia.
 40.00 Set q. Sec. post from which
 a Beech 13 m. dia. bray S 3 E 28 m. dist. of
 a Do. 30 " " " N 37 W 13 " "
 52.80 a Sugar 18 " "
 77.50 Set post Cor. to Township 14 & 15 North, Range
 7 & 8 East, from which
 a Hackberry 14 m. dia. bray N 11 E 30 m. dist. of
 a Buckeye 13 " " " S 46 E 26 " "
 Sand timber &c. same as on the last mile

July 26th 1879
 Surveyed by John M^c. Donald
 Deputy Surveyor

 Subdivision.

North Return Secs. 35 & 36, T4 N R28 E
 17.00 a Hickory 9 m. dia.
 40.00 Set q. Sec. post, from which
 a Beech 12 m. dia. bray East 30 m. dist. of
 a Poplar 6 " " " N 30 W 15 " "
 58.15 an Ash 30 " "
 77.00 a Creek 50 m. wide Course W.

259

T4N R8E, 2^d Mer. Indiana

ch. P. 114

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which
a Hackberry 6 mi. dist. by N40°W 20 km. dist. of
a Sycamore 48 " " " N10 E 22 " "
Land 2^d rate, timber Beech, Ash &c.

East On Land 8^m. between Sec. 25 & 36

5.00 a Creek 50 km. wide Course S.
40.00 Set temp. 7. gr. Sec. post,
79.50 Intersected E. boundary at post
(Description of land &c. Omitted)

West Corrupted between Sec. 25 & 36

19.50 a Beech 24 mi. dist.
39.75 Set gr. Sec. post at average dist. from which
a Sugar 12 mi. dist. by S80°W 8 km. dist. of
a Do. 6 " " " S80 E 10 " "
29.00 a Beech 24 " "
79.50 to Sec. Cor. Land level timber Beech, Ash,
Sugar, Elm, Hickory, underg^d. Spruce

North Between Sec. 25 & 26

20.45 a Sugar 20 mi. dist.
40.00 Set gr. Sec. post, from which
a Swp. Ash 8 mi. dist. by East 5 km. dist. of
a W. Ash 12 " " " West 30 " "
57.35 a Hickory 10 " "
80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which
a Hickory 10 mi. dist. by East 17 km. dist. of
a Swamp Oak — " " " West 43 " "
Land level & swampy, timber Oak, Beech, S.
Ash, Hickory, underg^d. Spruce.

East On Land 8^m. between Sec. 24 & 25

40.00 Set temp. 7. gr. Sec. post
79.20 Intersected E. boundary 68 km. S. of post
Land timber &c. same as on the last mile

260 T4 N R8 E. 2nd Mer. Indiana

ch. 1/4

West Connected between Sec. 24 & 25

20.00 a Beech 10 in. dia.

39.60 Set q. Sec. post at average dist. from which
a Beech 20 in. dia. bray North 15 lns. dist. of
a Do. 6 " " " S 5 E 20 " "

62.00 a Sugar 16 " "

79.20 to Sec. Corner.

North Between Sec. 23 & 24

15.00 a Beech 26 in. dia.

40.00 Set q. Sec. post, from which
an Ash 18 in. dia. bray N 18 W 12 lns. dist. of
an Elm 6 " " " S 45 E 20 " "

55.50 a Sycamore 24 in. dia.

80.00 Set post Cor. to Sec. 13, 14, 23, & 24, from which
a Beech 15 in. dia. bray S 60 E 8 lns. dist. of
a Do 27 " " " S 20 W " "
Sand level rich, timber Ash, Beech, Sugar &c.
underg^d. Spice

East On Land 8th between Sec. 13 & 24

40.00 Set temp. q. Sec. post

79.00 Intersected the E. boundary 89 lns. S. of post
Sand level 1st 1/2 mile good 2nd rate - 2nd 1/2 wet
& swampy, timber Beech, Ash, Sugar, Oak &c.
underg^d. Spice &c. Oct. 1st 1879. A. Wallace

West Connected between Sec. 13 & 24

15.00 a Beech 20 in. dia.

39.50 Set q. Sec. post at average dist. from which
a Beech 9 in. dia. bray S 60 E 15 lns. dist. of
a Do. 11 " " " N 50 E 18 " "

57.00 an Ash 18 " "

79.00 to Sec. Corner.

North Between Sec. 13 & 14

Plot N.E. 2nd Mer. Indiana 261

ch. 2nd 1/2

22.50 a Beech 25 in. dia.

40.00 Set q. Sec. post, from which
a Beech 8 in. dia. bray West 6 lms. dist. of
a Do. 10 " " " S 25 W 10 " "

56.00 a Do. 20. " "

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
a Hickory 4 in. dia. bray South 4 lms. dist. of
a Do. 8 " " " East 20 " "
Land level rich, timber Blue Ash, W. Ash, Elm,
Beech, Hickory &c. underg^d. Spruce

East On Randm. between Sec. 12 & 13

40.00 Set temp. q. Sec. post

80.00 Intersected E. boundary 174 lms. S. of post
Land level & rich, timber Beech, Ash &c.
underg^d. Spruce

West Connected between Sec. 12 & 13

20.00 a Poplar 12 in. dia.

40.00 Set q. Sec. post, from which
an Elm 6 in. dia. bray North 14 lms. dist. of
an Ash — " " " S 65 E 20 " "

52.00 a Beech 18 " "

80.00 Station Corner.

North Between Sec. 11 & 12

25.50 a Beech 24 in. dia.

40.00 Set q. Sec. post, from which
a Blue Ash 24 in. dia. bray East 3 lms. dist. of
a Beech 12 " " " West 20 " "

57.25 a W. Oak 40 " "

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech — in. dia. bray West 6 lms. dist. of
a Do 10 " " " N 45 E 15 " "
Level & good, Beech, Ash, Oak, Walnut &c. u. g. Spruce

262 N 40° E 2^d Mer. Indiana

Ch. 1/4

East On Rand^m. between Sec. 1 & 12

40.00 At temp^y. of Sec. post

81.00 Intersected the E. boundary 275 Ch. S. of post
Sand level & wet, timber Beech, Ash, Sugar
etc. under^g. Spruce

West Connected between Sec. 1 & 12

20.00 an Oak 48 mi. dist.

40.50 At of. Sec. post at average dist. from which
an Elm 9 mi. dist. bearing S 80° W 40 Ch. dist. of
an Ash 16 " " " N 45° E 5 " "

48.00 an Elm 14 " "

81.00 to Sec. Corner.

North Between Sec. 1 & 2

23.00 an Ash 30 mi. dist.

24.00 a Creek 50 Ch. wide Course S. W.

40.00 At of. Sec. post, from which
an Ash 24 mi. dist. bearing S 80° E 10 Ch. dist. of
a Beech 9 " " " N 35° W 15 " "

65.00 an Ash 24 " "

78.50 Intersected the N. boundary 59 Ch. — of post
At post Corner to Sec. 1 & 2, from which
an Ash 24 mi. dist. bearing West 6 Ch. dist. of
a Beech 28 " " " N. E 15 " "
Sand level & rich, timber Ash, Beech, Sugar etc.
under^g. Spruce Oct. 2^d 1819. A. Wallace

North Between Sec. 34 & 35

12.00 a Creek 50 Ch. wide Course West

25.15 a Beech 9 mi. dist.

40.00 At of. Sec. post, from which
a Beech 20 mi. dist. bearing S 80° W 30 Ch. dist. of
a Sugar 16 " " " N 30° E 10 " "

59.90 a Beech 18 " "

80.00 At post Cor. to Sec. 26, 27, 34 & 35, from which

263

14 N 8 E. 2nd Mer. Indiana
ch² lth
a Beech 15 in. dia. bray South 6 lth. dist. of
a do. 20 " " " N 40 W 15 " "
Land timber &c. Same as on the last mile

East On Rand^m. between Sec. 26 & 35
20.00 a Creek 40 lth. wide Course S.
40.00 Set temp^y. q^r. Sec. post
81.00 Intersected the N & S. line 80 lth. N. of post
Land timber &c. Same as on the last mile

West Connected between Sec. 26 & 35
23.20 an Elm 9 in. dia.
40.50 Set q^r. Sec. post at average dist. from which
a Beech 12 in. dia. bray N 40 E 30 lth. dist. of
a do. 9 " " " N 10 E 8 " "
81.00 to Sec. Corner

North Between Sec. 26 & 27
21.00 a Beech 8 in. dia.
40.00 Set q^r. Sec. post, from which (a Beech is cor.)
a Beech 24 in. dia. bray N 60 E 15 lth. dist. of
a do. 10 " " " West 25 " "
60.50 an Elm 24 " "
80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
an Oak 30 in. dia. bray N 40 E 15 lth. dist. of
a Sugar 15 " " " N 30 W 20 " "
Land level & rich timber Ash, Beech, Cherry
Sugar &c. undergth. Spruce.

East On Rand^m. between Sec. 23 & 26
12.00 a Creek 30 lth. wide Course S.
40.00 Set temp^y. q^r. Sec. post
80.70 Intersected the N & S. line 20 lth. N. of post
Land level 2nd rate, timber Ash, Beech, Oak
&c. undergth. Spruce

264 N. N. C. & E. 2^d Mer. Indiana

ch. 1stly
West Connected between Sec. 23 & 24

20.75 an Ash 8 mi. dist.

40.35 1st of Sec. post, from which
a Beech 18 mi. dist. by way West 5 hrs. dist. of
a do. 6 " " " " N 10 " "

80.70 to Sec. Corner.

North Between Sec. 22 & 23

25.00 a Beech 6 mi. dist.

40.00 1st of Sec. post, from which
a Beech 6 mi. dist. by way N 15 E 6 hrs. dist. of
a do. 15 " " " " N 45 W 10 " "

60.30 a do. 18 " "

80.00 1st post * Cor. to Sec. 14, 15, 22 & 23, from which
an Ash 10 mi. dist. by way S 30 E 8 hrs. dist. of

a do. 12 " " " North 12 " "
Land level first, timber Beech, Ash, Hick,
Sycamore &c. under the Spruce.

* a Sycamore stands for the post.

East On Random between Sec. 14 & 23

12.00 a Creek 20 hrs. wide Course S.

40.00 1st temp. of Sec. post

80.18 intersected the N & S line 12 hrs. N. of post
Land rich & level, timber W. Walnut, Sugar
Ash &c. Under the Spruce Oct. 3rd 1849

West Connected between Sec. 14 & 23

20.06 an Ash 15 mi. dist.

40.09 1st of Sec. post at average dist. from which
a Beech 10 mi. dist. by way South 14 hrs. dist. of
a do. 8 " " " " N 60 W 8 " "

60.75 a W. Oak 18 " "

80.18 to Sec. Corner

North Between Sec. 14 & 15

T4 N 8 E 2^d Mer. Indiana 265

ch. P. 1/4

31.60 a Hackberry 30 m. dist.
40.00 Set q. Sec. post, from which
an Ash 36 m. dist. by an East 10 km. dist. of
a Beech 12 " " " N 40 W 30 " "

65.00 a Do 18 " "
80.00 Set post Cor. to Sec. 10, 11, 14, 15, from which
a Beech 8 m. dist. by an N 40 E 5 km. dist. of
a Do. 10 " " " West 20 " "
Sand timber &c. same as on the last mile

East On Rand^m between Sec. 11 & 14.

40.00 Set temp. q. Sec. post
80.05 Intersected the N & S. line 37 km. S. of post
Land level & good, timber D. Walnut, Ash
Beech, Hickory, Sugar &c. underg^d. Spruce

West Connected between Sec. 11 & 14

25.00 an Ash 72 m. dist.
40.00 Set q. Sec. post at average dist. from which
a Beech 20 m. dist. by an N 20 E 6 km. dist. of
a Do. 14 " " " S 30 E 20 " "
60.00 a Sugar 20 " "
80.05 to Sec. Corner.

North Between Sec. 10 & 11

35.75 a Beech 16 m. dist.
40.00 Set q. Sec. post, from which
a Beech 36 m. dist. by an N 80 W 15 km. dist. of
a Do. 9 " " " East 12 " "
45.50 a Beech 14 " "
80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Maple 30 m. dist. by an West 12 km. dist. of
a Maple 12 " " " N 60 E 25 " "
Land level & rock, timber Beech, Ash, Sugar
Oak &c. underg^d. Spruce

M^t N 8 E 2^d Mer. Indianach^d l^y.East On Rand^m between Sec^s. 2 & 1140.00 Set temp^l. of Sec. post67.50 a Beech 40 l^y. wide Corner S. W.79.80 Intersected the N & S line 80 l^y. S. of postLand level 1st rate, timber Beech, Oak, Sugar
Elm, Hickory &c. underg^d. SpruceWest Connected between Sec^s. 2 & 11

19.00 an Ash 30 m. dist.

39.90 Set of Sec. post, at average dist. from which
an Oak 36 m. dist. by N 85 W 30 l^y. dist. of
an Ash 14 " " " N 70 W 25 " "

79.80 to Sec. Corner.

North Between Sec^s. 2 & 3

33.25 a Hickory 24 m. dist.

40.00 Set of Sec. post, from which

a Beech 16 m. dist. by N 30 W 20 l^y. dist. of
a Sugar 8 " " " N 10 E 18 " "

60.00 a Beech 20 " "

79.50 Intersected N. boundary 231 l^y. N. of postSet post Cor. to Sec^s. 2 & 3, from which
a Beech 14 m. dist. by South 20 l^y. dist. of
a Do. 12 " " " S 35 W 21 " "Land level 2^d rate, timber Beech, ash, Sugar
Oak &c. underg^d. Spruce. Oct. 4th. 1819, A. WallaceNorth Between Sec^s. 33 & 34

24.50 a Beech 24 m. dist.

40.00 Set of Sec. post, from which

a Beech 26 m. dist. by S. E 15 l^y. dist. of
a Sugar 10 " " " N 60 W 13 " "

72.50 a Walnut 10 " "

80.00 Set post Cor. to Sec^s. 27, 28, 33 & 34, from which
a Cottonwood 14 m. dist. by S. W 3 l^y. dist. of
a Do. 18 " " " S 60 E 30 " "

St. R & E. 2^d Mer. Indiana 267
ch. lks
Land level, timber Cottonwood, Ash, Beech
undergth Spice &c

East On Rand^m. between Secs. 27 & 34
40.00 Set tempst. q^r. Sec. post
80.38 Intersected the N & S line 69 lks. N. of post
Land level, timber Beech, Ash, Cottonwood
Lugan &c. undergth Spice

West Corrected between Secs. 27 & 34
24.00 a Gum 12 mi. dist.
40.19 Set q^r. Sec. post at average dist. from which
a Gum 36 mi. dist. by way N. E 12 lks. dist. of
an Oak 30 " " " 150 N 20 " "
60.00 a Cottonw. 16 " "
80.38 to Sec. Corner

North Between Secs. 27 & 28
15.00 a Hickory 16 mi. dist.
40.00 Set q^r. Sec. post, from which
a Beech 5 mi. dist. by way East 3 lks. dist. of
a Pop. Asp 4 " " " 185 N 8 " "
57.50 an Oak 40 " "
80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which
a Beech 9 mi. dist. by way S 65 E 10 lks. dist. of
a do 7 " " " 130 N 15 " "
Land timber &c. same as on the last mile

East On Rand^m. between Secs. 22 & 27
40.00 Set tempst. q^r. Sec. post
80.50 Intersected the N & S. line 97 lks. N. of post
Land level 2^d rate timber Beech, Ash, Oak
Elm &c. undergth Spice

West Corrected between Secs. 22 & 27
20.25 a Beech 16 mi. dist.

N. N. R. & E. 2nd Mer. Indiana

ch. 1st 1/2

40.25 Set q. Sec. post at average dist. from which
an Ash 18 mi. dist. by N 60 E 10 ch. dist. of
a Hickory 10 " " " S. E 18 " "
55.00 an Oak 48 " "
80.50 to Sec. Corner.

North Between Sec. 21 & 22

26.50 an Oak 50 mi. dist.
40.00 Set q. Sec. post, from which
an Ash 10 mi. dist. by N 85 W 15 ch. dist. of
a Do. 9 " " " N 20 E 12 " "
69.75 a Poplar 16 " "
80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
an Ash 6 mi. dist. by N 45 W 10 ch. dist. of
a Do. 8 " " " S 35 E 10 "
Land level & wet, timber Beech, Ash, Elm &c.
underg^g Spruce &c.

East On Land^g between Sec. 15 & 22

40.00 Set temp. q. Sec. post
80.26 Intersected the S. line 17 ch. N. of post
Land timber &c. same as on the last mile

West Corrected between Sec. 15 & 22

21.00 an Ash 36 mi. dist.
40.13 Set q. Sec. post, from which
a Beech 20 mi. dist. by N 85 W 8 ch. dist. of
a Do. 10 " " " S 80 E 9 " "
61.00 an Ash 30 " "
80.26 to Sec. Corner.

North Between Sec. 15 & 16

25.00 an Oak 48 mi. dist.
40.00 Set q. Sec. post, from which
a Beech 10 mi. dist. by S. W 8 ch. dist. of
a Do. 7 " " " N 60 E 10 " "

Twp R8 E. 2^d Mer. Indiana 269

ch. 2th

68.00 a Beech 10 mi. dist.

80.00 At post Cor. to Sec. 9, 10, 15 & 16 from which
an Ash 28 mi. dist. by N 30 W 4 mi. dist. of

a Maple 24 " " " West 25 " "

Land level 2^d rate, timber Beech, Oak, Ash &c
undergrowth Spruce

East On Land^m between Sec. 10 & 15

40.00 At temp. q. Sec. post

80.26 Intersected the N & S. line 100 mi. N. of post
Land level 4th rate, timber, Beech, Ash, Oak,
Elm &c. undergth Spruce.

West Corrected between Sec. 10 & 15

19.75 a Sugar 10 mi. dist.

40.13 At q. Sec. post, at average dist. from which
a Beech 22 mi. dist. by N 60 E 18 mi. dist. of
an Ironw. 4 " " " South 4 " "

60.00 a Beech 12 " "

80.26 to Sec. Corner.

North Between Sec. 9 & 10

25.06 a Beech 10 mi. dist.

40.00 At q. Sec. post, from which
a Hickory 24 mi. dist. by South 5 mi. dist. of
a Beech 12 " " " S. E 8 " "

58.00 an Ash 18 " "

80.00 At post Cor. to Sec. 3, 4, 9 & 10, from which
a Sugar 14 mi. dist. by N. E. 6 mi. dist. of
an Elm 36 " " " S 60 E 25 " "
Land 2^d rate, timber Ash, Sugar, Beech, Elm
&c. undergth Spruce

East On Land^m between Sec. 3 & 10

40.00 At temp. q. Sec. post,

80.29 Intersected the N & S. line 38 mi. N. of post

West N 8 E. 2^d Mer. Indiana

chth Sand timber &c. Same as on the last mile

Met Cornet between Secs. 3 & 10

20.00 a Sugar 16 mi. dist.

40.14 at q^r. Sec. post at average dist. from which
a Sugar — mi. dist. by N. 7th dist. &
a Buckeye 8 " " " N 10 W 25 " "

56.00 a Sugar 14 " "

80.29 to Sec. Corner

North Between Secs. 3 & 4

22.00 a Beech 12 mi. dist.

40.00 at q^r. Sec. post, from which
a Sugar 10 mi. dist. by East 12th dist. &
a Do. 6 " " " N 50 W 15 " "

57.00 a Beech 18 " "

79.88 intersected N. boundary 275th E. of post
at post Cor. to Secs. 3 & 4, from which
a Beech 20 mi. dist. by East 20th dist. &
a Do. 15 " " " N. W 15 " "
Land level 2^d rate, timber Beech, ash, Sugar
&c. endingth. Price Oct. 6th 1819.

North Between Secs. 32 & 33

26.50 a Beech 12 mi. dist.

40.00 at q^r. Sec. post, from which
a Beech 13 mi. dist. by North 12th dist. &
a Cherry 5 " " " S 35 E 15 " "

76.00 a Cottonw^d 14 " "

80.00 at post Cor. to Secs. 28, 29, 32 & 33, from which
an Oak 6 mi. dist. by S 30 E 9th dist. &
no other tree

Sand timber &c. Same as on the last mile

East On Land^m between Secs. 28 & 33

40.00 at temp^y. q^r. Sec. post.

271

West N 8 E. 2^d Mer. Indiana

ch. l. m.
80.72 Intersected the N & S. line 40 l. m. N. of corner
Land timber &c. same as on the last mile

West Corrected between Sec. 28 & 33

22.00 a Beech 10 in. dia.

40.36 Set g. Sec. post at average dist from which
a Cottonwood 9 in. dia. bay North 8 l. m. dist. of
a Do. 8 " " " 140 N 10 " "

65.00 an Oak 8 " "

80.72 to Sec. Corner.

North Between Sec. 28 & 29

14.50 an Elm 12 in. dia.

40.00 Set g. Sec. post from which
a Beech 8 in. dia. bay N 30 W 18 l. m. dist. of
a Do. 6 " " " 120 N 10 " "

70.00 a Beech 10 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
a Beech 16 in. dia. bay 145 N 10 l. m. dist. of
an Ash 9 " " " N 35 E 20 " "
Land level sweet timber, Beech, Ash, Sugar &c.
underg. Spruce &c.

East On Rand. between Sec. 21 & 28

40.00 Set temp. g. Sec. post

80.40 Intersected the N & S. line 44 l. m. — of post
Land level 2^d rate, Ash, Beech &c. underg. Spruce

West Corrected between Sec. 21 & 28

20.50 an Oak 14 in. dia.

40.20 Set g. Sec. post at average dist. from which
a Beech 9 in. dia. bay N 20 E 12 l. m. dist. of
a Do. 20 " " " N 16 E 22 " "

65.00 an Elm 36 " "

80.40 to Sec. Corner

272

T.H. N. R & E. 2^d. Mer. Indiana

ch. 1/4

North Between Sec. 20 & 21

26.00 a Beech 10 m. dist.

40.00 Lt of Sec. post, from which
a Beech 14 m. dist. bray N 85 E 20 km. dist. &
a Do 18 " " " N 87 W 40 " "

69.40 a Poplar 36 " "

80.00 Lt post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 20 m. dist. bray S. W 8 km. dist. &
a Do. 12 " " " East 9 "
Sand timber &c. same as on the last mileEast On Land 9^m between Sec. 16 & 21

40.00 Lt temp. of Sec. post

80.20 Intersected the N & S line 60 km. N. of post
Sand timber &c. same as on the last mile

West Corrected between Sec. 16 & 21

25.00 a Beech 16 m. dist.

40.10 Lt of Sec. post, at average dist. from which
a Beech 12 m. dist. bray North 16 km. dist. &
a Do. 24 " " " East 8 " "

60.00 a Hickory 10 " "

80.20 to Sec. Corner. Oct. 9th 1819. A. Wallace

North Between Sec. 16 & 17

18.00 a Poplar 48 m. dist.

40.00 Lt of Sec. post, from which
a Beech 9 m. dist. bray S 15 W 10 km. dist. &
a P. Oak 50 " " " N. W 20 " "

59.00 an Elm 16 " " "

80.00 Lt post Cor. to Sec. 8, 9, 16 & 17, from which
a Sw. Ash 8 m. dist. bray S 45 E 3 km. dist. &
a Maple 5 " " " S. W 12 " "
Land level 2^d rats, timber Beech, Ash,
Oak, Poplar, Hickory &c. undug. Spruce

273

Stat N 8 E. 2^d. Mer. Indiana

ch. 24th

East On Rand^m. between Sec. 9 & 16

40.00 Set temp^y. gr. Sec. post

80.26 Intersected the N of S. line 24th. N. of post
Land level of post, timber Beech, Ash, Oak &c.
underg^d. Spruce &c.

West Corrected between Sec. 9 & 16

40.13 Set gr. Sec. post at average dist from which
a Beech 6 in. dia^r. trans East 2th. dist. of
a Spruce 12 " " " N. 8 " "

65.00 a Beech 24 " "

80.26 to Sec. Corner.

North Between Sec. 8 & 9

14.50 a Beech 20 in. dia^r.

40.00 Set gr. Sec. post, from which
a Beech 7 in. dia^r. trans N. 9th. dist. of
a Spruce 5 " " " N 30 E 25 " "

54.50 an Oak 24 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Spruce 5 in. dia^r. trans West 10th. dist. of
a Spruce Beech 4 " " " S 30 E 15 " "
Land level 2^d. rate, timber Beech, Ash, Oak
&c. underg^d. Spruce

East On Rand^m. between Sec. 4 & 9

40.00 Set temp^y. gr. Sec. post

67.00 enter a Swamp

72.00 leave the Swamp

80.50 Intersected the N of S. line at the post
Land same, timber Beech, Ash, Sugar Oak
&c. underg^d. Spruce &c.

West Corrected between Sec. 4 & 9

21.25 an Oak 14 in. dia^r.

40.25 Set gr. Sec. post at average dist. from which

274

St. N. R. E. 2nd Mer. Indiana
ch. lky.

a Swp. Ash 12 in diam. brang N 10 W 10 lky. dist. of
a Swp. Beech 5 " " " South 12 " "
62.50 a Beech 12 " "
80.50 to Sec. Corner.

North Between Sec. 4 & 5

28.50 a Beech 12 in. dia.

40.00 Set g. Sec. post, from which

a Beech 14 in. dia. brang N 30 W 20 lky. dist. of

a Do. 9 " " " N 25 E 15 " "

61.00 an Ash 24 " "

80.00 Intersected N. Boundary 228 lky. E. of post

Set post Cor. to Sec. 4 & 5, from which

a Beech 8 in. dia. brang East 8 lky. dist. of

an Ash 12 " " " West 15 " "

Sand level 2nd rate timber, Ash, Beech, Sugar

Oak &c. undg. Spruce Oct. 14th 1819. A. Wallace

North Between Sec. 31 & 32

23.50 a Cottonwood 10 in. dia.

40.00 Set g. Sec. post, from which

an Elm 9 in. dia. brang N. E. 7 lky. dist. of

a B. Walnut 10 " " " N 60 W 15 " "

61.75 a Cottonw. 8 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which

a Beech 24 in. dia. brang S 5 W 16 lky. dist. of

a Do. 20 " " " N 10 W 25 " "

Sand level 1st rate timber Cottonw. Beech

Ash, Oak &c. undg. Spruce.

East On Land 9^m between Sec. 29 & 32

40.00 Set temp. g. Sec. post

81.00 Intersected the N & S. line at the post

Sand level 1st rate timber Cottonw. Beech, ash,

&c. undg. Spruce

275

N 4 N R 8 E. 2ⁿ Mer. Indiana

ch. lks

West Correlated between Sec. 29 & 32

20.26 an Ash 8 mi. dist.

*40.50 Let gr. Sec. post. from which
an Ash 7 mi. dist. bear N 85 W 15 km. dist. of
a do. 6 " " " 140 E 10 " "*

65.00 an Elm 12 " "

81.00 to Sec. Corner

North Between Sec. 29 & 30

26.50 an Elm 16 mi. dist.

28.00 a creek 10 km. wide course S. W.

*40.00 Let gr. Sec. post. from which
an Ash 5 mi. dist. bear N 80 E 15 km. dist. of
a do 6 " " " 180 W 12 " "*

71.00 a Beech 12 " "

*80.00 Let post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 10 mi. dist. bear S 20 W 30 km. dist. of
a do. 10 " " " N 60 E 30 " "
Land level 2ⁿ rate, timber, Beech, ash, Sugar
Oak &c. underg^d Spruce &c*

East On Land 8^m between Sec. 20 & 29

40.00 Let temp^y. gr. Sec. post

*80.46 Intersected the N & S. line at the post
Land timber &c. same as on the last mile*

West Correlated between Sec. 20 & 29

21.00 an Oak 48 mi. dist.

*40.23 Let gr. Sec. post at average dist. from which
a Beech 12 mi. dist. bear S 20 E 25 km. dist. of
a do 10 " " " N. E. 14 " "*

63.00 an Oak 36 " "

80.46 to Sec. Corner.

North Between Sec. 19 & 20

31.50 a creek 20 km. wide Cr. S. 45 W

Mt N P & E. 2^d Mer. Indiana

ch. p. lth

35.00 a Beech 12 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 10 mi. dist. bearing South 20 lth. dist. &
a Dogw. 6 " " " East 4 " "

52.00 a Beech 30 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 12 mi. dist. bearing N 88 E 12 lth. dist. &
a Sugar 14 " " " S 30 W 20 " "
Sand level 2nd rate, timber Beech, Oak,
Sugar &c. underg^d Spruce

East On Rand. between Sec. 17 & 20

40.00 Set temp. q. Sec. post

80.40 Intersected the N & S. line at the Corner
Sand timber &c. same as on the last mile

West Corrected between Sec. 17 & 20

21.00 an Elm 12 mi. dist.

40.20 Set q. Sec. post at average dist. from which
a Beech 11 mi. dist. bearing S 20 E 8 lth. dist. &
a do. 13 " " " S 30 W 17 " "

61.00 an Ash 9 " "

80.40 to Sec. Corner. Oct. 15th 1819. A. Wallace

North Between Sec. 17 & 18

24.00 a Beech 14 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 12 mi. dist. bearing N 30 W 10 lth. dist. &
a do. 13 " " " S 20 E 12 " "

61.00 a Creek 20 lth. wide Course N. W.

70.50 a Gum 12 mi. dist.

74.00 a Creek 20 lth. wide Course N. E.

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
a Dogwood 6 mi. dist. bearing S 5 E 11 lth. dist. &
a Beech 13 " " " West 25 " "
Sand timber &c. same as on the last mile

277

T4 N R8 E 2 Mer. Indiana

ch. 1/2

East On Rand^m. between Sec. 8 & 17

5.50 a Creek 10 lms. wide Course N.E.

40.00 Set temp^y. of Sec. post

80.41 Intersected the N of S. line 29 lms. N. of post
Land level & wet timber Beech, Ash, Sugar
Oak &c. underg^d. Spruce

West Corrected between Sec. 8 & 17

24.00 a Hickory 16 mi. dist.

40.20 Set of Sec. post at average dist. from which
an Elm 4 mi. dist. bear East 6 lms. dist. of
a Hickory 14 " " " NW 26 " "

62.00 a do. 8 " "

80.41 to Sec. Corner

North Between Sec. 7 & 8

18.35 a Sugar 9 mi. dist.

40.00 Set of Sec. post, from which
an Ash 6 mi. dist. bear N 30 W 15 lms. dist. of
a do. 5 " " " N 75 E 20 " "

55.00 a Creek 10 lms. wide Course N.W.

68.00 a do 20 " " " West

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 15 mi. dist. bear N 30 E 10 lms. dist. of
a do. 24 " " " West 25
Land level 2^d. rate, timber Beech, Ash
&c. underg^d. Spruce

East On Rand^m. between Sec. 5 & 8

40.00 Set temp^y. of Sec. post

80.86 Intersected the N of S. line 32 lms. N. of post
Land timber &c. Same as on the last mile

West Corrected between Sec. 5 & 8

23.00 a Beech 14 mi. dist.

40.43 Set of Sec. post at average dist. from which

278

St. R & E. I. Mer. Indiana

ch. lks.

a Beech 9 mi. dist. beam West 9 lks. dist. of
a Do. 8 " " " " 110 E 12 " "
59.00 a Poplar 22 " "
80.86 to Sec. Corner.

North Between Sect. 5 & 6

38.00 a Sugar 14 mi. dist.

40.00 Set of Sec. post, from which
a Beech 20 mi. dist. beam West 12 lks. dist. of
a Sugar 9 " " " N. W 15 " "

47.00 a Creek 20 lks. wide Course S. W.

63.00 an Ash 12 mi. dist.

79.92 Intersected N. boundary 48 lks. E. of post
Set post Cor. to Sect. 5 & 6, from which
a Beech 9 mi. dist. beam 140 W 13 lks. dist. of
a Do. 10 " " " 180 W 14 " "
Land level 2nd rate, timber, Beech, Ash, Sugar
&c. undergth Spruce &c. Oct. 19/819. A. Wallace

West Between Sect. 30 & 31

16.25 a Beech 10 mi. dist.

40.00 Set of Sec. post, from which
a Sugar 14 mi. dist. beam 135 E 12 lks. dist. of
a Do. Ash 10 " " " West 12 " "

65.50 a Beech 24 " "

67.25 Intersected W. boundary 100 lks. S. of post
Set post Cor. to Sect. 30 & 31, from which
an Oak 20 mi. dist. beam North 3 lks. dist. of
a Beech 10 " " " 110 W 8 " "
Land level 3rd rate, timber, Beech, Oak
Sugar, Ash &c. undergth Spruce &c.

West Between Sect. 19 & 30

21.50 a Creek 10 lks. wide Course N. E.

30.00 an Ash 14 mi diam^{tr}

40.00 Set of Sec. post, from which

279

At N. R. & E. 2^d. Mer. Indiana

ch. 1st

a Beech 10 mi. dist. from West 9th dist. of
 a Hickory 8 " " " S. E. 20 " "
 51.50 on Ash 10 " "
 67.80 Intersected N. boundary 155th S. of post
 Set post Cor. to Sec. 17 & 30, from which
 a D. Oak 30 mi. dist. from S 30 E 12th dist. of
 a Beech 7 " " " N 8 E 20 " "
 Land level timber Ash, Beech, Sugar &c.
 underg^g. Spruce &c.

West Between Sec. 18 & 19

21.00 a Beech 16 mi. dist.

44.00 Set g. Sec. post, from which
 an Ash 5 mi. dist. from South 9th dist. of
 a W. Oak 30 " " " N 60 W 36 " "

55.00 on Ash 22 " "

68.27 Intersected N. boundary 200th S. of post
 a Beech 15 mi. dist. from S 60 E 32th dist. of
 a Sugar 14 " " " North 20 " "
 Land level 2^d. rate, timber Beech, Ash
 Sugar &c. underg^g. Spruce &c.

West Between Sec. 7 & 18

15.50 a Hickory 12 mi. dist.

40.00 Set g. Sec. post, from which
 a Beech 30 mi. dist. from S 85 W 11th dist. of
 a Do 12 " " " N 65 E 25 " "

46.00 a Creek 20th (wide Course N. E.

62.00 a Beech 6 mi. dist.

68.38 Intersected N. boundary 226th S. of post
 Set post Cor. to Sec. 7 & 18, from which
 an Ash 36 mi. dist. from North 9th dist. of
 a Beech 8 " " " South 30 " "
 Land level & good, timber, Beech, Ash, Sugar
 &c. underg^g. Spruce &c.

Twp. N 14 N R 8 E 2^d Mer. IndianaCh. 2^d 1/2

West Between Sec. 6 & 7, Twp. N 14 N R 8 E.

14.50 a Sugar 10 mi. dia.

30.75 a Creek 25 lns. wide Course N.W.

40.00 at q^r. Sec. post, from which
a Poplar 10 mi. dia. bears North 7 lns. dist. &
a Beech 36 " " " N 65° W 20 " "

65.00 a P. Walnut 18 " "

69.19 Intersected the W. boundary 250 lns. S. of
post - Set post Cor. to Sec. 6 & 7, from which
an Elm 12 mi. dia. bears North 20 lns. dist. &
a Beech 5 " " " S 8° W 5 " "Sand level rich, timber, Beech, Ash, Oak,
Sugar &c. ending. Office &c. Oct. 17th 1819Surveyed by Andrew Wallace
Deputy Surveyor

Comp.

I Certify that the foregoing transcript of field notes
of Township N. 14 North, Range N. 8 East 2^d Mer.
Indiana, has been compared with the original
notes, in this Office, and found to be correct.

Surveyor General's Office
Cincinnati, Oct. 6th 1842

William Johnston
Sur. Genl.